Author Index

ABBOTT, L. K. (see JAKOBSEN, I.), 371, 509
ALLAWAY, W. G. (see FITZGERALD, M. A.), 1
ALLOTTA, G. (see VAGNOLI, L.), 243
ALSCHER, R. G. (see FINCHER, J.), 49
ARMSTRONG, J., ARMSTRONG, W. & BECKETT, P. M., *Phragmites australis*: Venturi- and humidity-induced pressure flows enhance rhizome aeration and rhizosphere oxidation, 197
ARMSTRONG, W. (see ARMSTRONG, J.), 197
ASHENDEN, T. W. (see WILLIAMS, J. H.), 69
——, (see MORGAN, S. M.), 89
AUGÉ, R. M., STODOLA, A. J. W., BROWN, M. S. & BETHLENFALVAY, G. J., Stomatal response of mycorrhizal cowpea and soybean to short-term osmotic stress, 117
BÄCK, J. & HUTTUNEN, S., Structural responses of needles of conifer seedlings to acid rain treatment, 77
BAGCHI, S. N. (see CHAUHAN, V. S.), 251
BANCAL, P., CARPITA, N. C. & GAUDILLÈRE, J. P., Differences in fructan accumulated in induced and field-grown wheat plants: an elongation-trimming pathway for their synthesis, 313
BARCELÓ, J. (see VÁZQUEZ, M. D.), 215
BAXTER, R., EMES, M. J. & LEE, J. A., Effects of an experimentally applied increase in ammonium on growth and amino-acid metabolism of *Sphagnum cuspidatum* Ehrh. ex. Hoffm. from differently polluted areas, 265
BECKETT, P. M. (see ARMSTRONG, J.), 197
BETHLENFALVAY, G. J. (see AUGÉ, R. M.), 117
BONATTI, P. M. (see BONZI, L. M.), 427
BONZI, L. M., BONATTI, P. M., MARINI, C., FORNASIERO, R. B. & PAOLETTI, C., Ultrastructural studies on differentiating chloroplasts in the 'forma *fuscoviridis*' of *Ceratozamia mexicana* Brongn., 427
BOUCAUD, J. (see OURRY, A.), 275
BREEZE, V. G. & FOWLER, A. T., Antagonistic effects of simultaneous exposure to sulphur dioxide gas and vapour of the herbicide 2,4-D *iso*-octyl on the carbon dioxide exchange of tomato and field bean plants, 389
BROWN, M. S. (see AUGÉ, R. M.), 117
BRULFERT, J. (see KLUGE, M.), 323
BRUNNER, I. & SCHEIDEGGER, C., Ontogeny of synthesized *Picea abies* (L.) Karst.—*Hebeloma crustuliniforme* (Bull. ex St Amans) Quél. ectomycorrhizas, 359
BYRES, D. P., DEAN, T. J. & JOHNSON, J. D., Long-term effects of ozone and simulated acid rain on the foliage dynamics of slash pine (*Pinus elliottii* var. *elliottii* Englem.), 61
CAIRNS, A. J., A reconsideration of fructan biosynthesis in storage roots of *Asparagus officinalis* L., 463
CAMPBELL, E. O. (see VAUGHN, K. C.), 169
CAMPBELL, G. J. (see OSBORNE, B. A.), 481
CARPITA, N. C. (see BANCAL, P.), 313
CHAUHAN, V. S., MARWAH, J. B. & BAGCHI, S. N., Effect of an antibiotic from *Oscillatoria* sp. on phytoplankters, higher plants and mice, 251
CHENG, Canhong & MCCOMB, J. A., *In vitro* germination of wheat pollen on raffinose medium, 459
CHUDEK, J. A. (see WILLIAMSON, B.), 21
CLAPPERTON, M. J. & REID, D. M., A relationship between plant growth and increasing VA mycorrhizal inoculum density, 227
——, REID, D. M., Effects of low-concentration sulphur dioxide fumigation and vesicular–arbuscular mycorrhizas on ^{14}C-partitioning in *Phleum pratense* L., 381
CLOWES, F. A. L., Regeneration of the discrete root epidermis of *Pistia stratiotes* L. after perturbation of the meristem, 209
COLMER, T. D. (see THOMSON, C. J.), 335
COLPAERT, J. V., VAN ASSCHE, J. A. & LUIJTENS, K., The growth of the extramatrical mycelium of ectomycorrhizal fungi and the growth response of *Pinus sylvestris* L., 127
CULLEN, A. (see OSBORNE, B. A.), 481
DAVISON, A. W. (see REILING, K.), 29
DAY, T. A. (see DELUCIA, E. H.), 543
DEAN, T. J. (see BYRES, D. P.), 61
DELUCIA, E. H., HECKATHORN, S. A. & DAY, T. A., Effects of soil temperature on growth, biomass allocation and resource acquisition of *Andropogon gerardii* Vitman, 543
DIXON, G. K. (see NIMER, N. A.), 153
DRENT, P. (see FARRAR, J.), 191
DUCKETT, J. G. (see GARBARY, D. J.), 435
ECKARDT, N. (see PELL, E. J.), 397
EMES, M. J. (see BAXTER, R.), 265
ENYEDI, A. J. (see PELL, E. J.), 397
ESCARRÉ, J. (see HOUSSARD, C.), 551
FARRAR, J., VAN DER SCHOOT, C., DRENT, P. & VAN BEL, A., Symplastic transport of Lucifer Yellow in mature leaf blades of barley: potential mesophyll-to-sieve-tube transfer, 191
FARRAR, J. F. (see TETLOW, I. J.), 475
FINCHER, J. & ALSCHER, R. G., The effect of long-term ozone exposure on injury in seedlings of red spruce (*Picea rubens* Sarg.), 49
FINLAY, R. D., FROSTEGÅRD, Å. & SONNERFELDT, A.-M., Utilization of organic and inorganic nitrogen sources by ectomycorrhizal fungi in pure culture and in symbiosis with *Pinus contorta* Dougl. ex Loud., 105
FISHER, P. J. & PETRINI, O., Fungal saprobes and pathogens as endophytes of rice (*Oryza sativa* L.), 137
FITTER, A. H. (see SANDERS, I. R.), 517, 525
FITZGERALD, M. A., ORLOVICH, D. A. & ALLAWAY, W. G., Evidence that abaxial leaf glands are the sites of salt secretion in leaves of the mangrove *Avicennia marina* (Forsk.) Vierh., 1
FORNASIERO, R. B. (see BONZI, L. M.), 427
FOWLER, A. T. (see BREEZE, V. G.), 389
FROSTEGÅRD, Å. (see FINLAY, R. D.), 105
GARBARY, D. J., MCDONALD, A. R. & DUCKETT, J. G., Visualization of the cytoskeleton in red algae using fluorescent labelling, 435
GAUDILLÈRE, J. P. (see BANCAL, P.), 313
GIANINAZZI, S. (see GIANINAZZI-PEARSON, V.), 505
GIANINAZZI-PEARSON, V. & GIANINAZZI, S., Influence of intergeneric grafts between host and non-host legumes on formation of vesicular–arbuscular mycorrhiza, 505
GOODMAN, B. A. (see WILLIAMSON, B.), 21
GREENWAY, H. (see THOMSON, C. J.), 335
GRIFFITHS, H. (see ROBE, W. E.), 289
GROSS, K. L., MARUCA, D. & PREGITZER, K. S., Seedling growth and root morphology of plants with different life-histories, 535
HALLINGBÄK, T. & KELLNER, O., Effects of simulated nitrogen rich and acid rain on the nitrogen-fixing lichen *Peltigera aphthosa* (L.) Willd., 99
HARVEY, B. M. R. (see SELBY, C.), 453
HASEGAWA, J. (see VAUGHN, K. C.), 169
HECKATHORN, S. A. (see DELUCIA, E. H.), 543
HOLLOWAY, P. J., MACLEAN, D. J. & SCOTT, K. J., Electron transport in thylakoids isolated from barley leaves infected by the powdery mildew fungus (*Erysiphe graminis*DC. ex Merat f.sp. *hordei* Marchal), 145
HOUSSARD, C., ESCARRÉ, J. & VARTANIAN, N., Water stress effects on successional populations of the dioecious herb, *Rumex acetosella* L., 551
HUTTUNEN, S. (see BÄCK, J.), 77
JAKOBSEN, I., ABBOTT, L. K. & ROBSON, A. D., External hyphae of vesicular–arbuscular mycorrhizal fungi associated with *Trifolium subterraneum*. 1. Spread of hyphae and phosphorus inflow into roots, 371
——, ABBOTT, L. K., ROBSON, A. D., External hyphae of vesicular–arbuscular mycorrhizal fungi associated with *Trifolium subterraneum* L. 2. Hyphal transport of ^{32}P over defined distances, 509
JOHNSON, J. D. (see BYRES, D. P.), 61

JONES, P. W. (see OSBORNE, B. A.), 481
KELLER, G., Isozymes in isolates of *Suillus* species from *Pinus cembra* L., 351
KELLNER, O. (see HALLINGBÄK, T.), 99
KENNEDY, S. J. (see SELBY, C.), 453
KIPE-NOLT, J. A., MONTEALEGRE M., C. M. & TOHME, J., Restriction of nodulation by the broad host range *Rhizobium tropici* strain CIAT899 in wild accessions of *Phaseolus vulgaris* L., 489
KLUGE, M., RAZANOELISOA, B., RAVELOMANANA, D. & BRULFERT, J., *In situ* studies of crassulacean acid metabolism in *Kalanchoë beharensis* Drake Del Castillo, a plant of the semi-arid southern region of Madagascar, 323
KULLMAN, L., The ecological status of grey alder (*Alnus incana* (L.) Moench) in the upper subalpine birch forest of the central Scandes, 445
LEE, J. A. (see MORGAN, S. M.), 89
——, (see BAXTER, R.), 265
LIGRONE, R. (see VAUGHN, K. C.), 169
LUIJTENS, K. (see COLPAERT, J. V.), 127
MACLEAN, D. J. (see HOLLOWAY, P. J.), 145
MARCUM, K. B. & MURDOCH, C. L., Salt tolerance of the coastal salt marsh grass, *Sporobolus virginicus* (L.) Kunth, 281
MARGHERI, M. C. (see VAGNOLI, L.), 243
MARINI, C. (see BONZI, L. M.), 427
MARUCA, D. (see GROSS, K. L.), 535
MARWAH, J. B. (see CHAUHAN, V. S.), 251
MATERASSI, R. (see VAGNOLI, L.), 243
MCCOMB, J. A. (see CHENG, Canhong), 459
MCDONALD, A. R. (see GARBARY, D. J.), 435
MERRETT, M. J. (see NIMER, N. A.), 153
MESLÉ, S. (see OURRY, A.), 275
MONGE-NAJERA, J. (see VAUGHN, K. C.), 169
MONTEALEGRE M., C. M. (see KIPE-NOLT, J. A.), 489
MORGAN, S. M., LEE, J. A. & ASHENDEN, T. W., Effects of nitrogen oxides on nitrate assimilation in bryophytes, 89
MURDOCH, C. L. (see MARCUM, K. B.), 281
MURRAY, D. C. & WALTERS, D. R., Increased photosynthesis and resistance to rust infection in upper, uninfected leaves of rusted broad bean (*Vicia faba* L.), 235
MURRAY, D. R., Amino acid and amide metabolism in the hulls and seeds of developing fruits of garden pea, *Pisum sativum* L. V. Aspartate, 259
NIMER, N. A., DIXON, G. K. & MERRETT, M. J., Utilization of inorganic carbon by the coccolithophorid *Emiliania hyxleyi* (Lohmann) Kamptner, 153
NOBEL, P. S. (see NORTH, G. B.), 9
NORTH, G. B. & NOBEL, P. S., Drought-induced changes in hydraulic conductivity and structure in roots of *Ferocactus acanthodes* and *Opuntia ficus-indica*, 9
NYLUND, J.-E. (see WALLENDER, H.), 495
OJANPERÄ, K., SUTINEN, S., PLEIJEL, H. & SELLDEN, G., Exposure of spring wheat, *Triticum aestivum* L., cv. Drabant, to different concentrations of ozone in open-top chambers: effects on the ultrastructure of flat leaf cells, 39
OLEKSYN, J., TJOELKER, M. G. & REICH, P. B., Growth and biomass partitioning of populations of European *Pinus sylvestris* L. under simulated 50° and 60° N daylengths: evidence for photoperiodic ecotypes, 561
ORLOVICH, D. A. (see FITZGERALD, M. A.), 1
OSBORNE, B. A., CULLEN, A., JONES, P. W. & CAMPBELL, G. J., Use of nitrogen by the *Nostoc–Gunnera tinctoria* (Molina) Mirbel symbiosis, 481
OURRY, A., MESLÉ, S. & BOUCAUD, J., Effects of osmotic stress (NaCl and polyethylene glycol) on nitrate uptake, translocation, storage and reduction in ryegrass (*Lolium perenne* L.), 275
OWEN, H. A. (see VAUGHN, K. C.), 169
PAOLETTI, C. (see BONZI, L. M.), 427
PELL, E. J., ECKARDT, N. & ENYEDI, A. J., Timing of ozone stress and resulting status of ribulose bisphosphate carboxylase/oxygenase and associated net photosynthesis, 397
PETRINI, O. (see FISHER, P. J.), 137
PLEIJEL, H. (see OJANPERÄ, K.), 39
POORTER, H. & POTHMANN, P., Growth and carbon economy of a fast-growing and a slow-growing grass species as dependent on ontogeny, 159
POSCHENRIEDER, CH. (see VÁZQUEZ, M. D.), 215
POTHMANN, P. (see POORTER, H.), 159
PREGITZER, K. S. (see GROSS, K. L.), 535
RAVELOMANANA, D. (see KLUGE, M.), 323
RAZANOELISOA, B. (see KLUGE, M.), 323
REICH, P. B. (see OLEKSYN, J.), 561
REID, D. M. (see CLAPPERTON, M. J.), 227, 381
REILING, K. & DAVISON, A. W., The response of native, herbaceous species to ozone: growth and fluorescence screening, 29
RENZAGLIA, K. S. (see VAUGHN, K. C.), 169
ROBE, W. E. & GRIFFITHS, H., Seasonal variation in the ecophysiology of *Littorella uniflora* (L.) Ascherson in acidic and eutrophic habitats, 289
ROBSON, A. D. (see JAKOBSEN, I.), 371, 509
SANDE, E. & YOUNG, D. R., Effect of sodium chloride on growth and nitrogenase activity in seedlings of *Myrica cerifera* L., 345
SANDERS, I. R. & FITTER, A. H., The ecology and functioning of vesicular–arbuscular mycorrhizas in co-existing grassland species. I. Seasonal patterns of mycorrhizal occurrence and morphology, 517
——, FITTER, A. H., The ecology and functioning of vesicular–arbuscular mycorrhizas in co-existing grassland species. II. Nutrient uptake and growth of vesicular–arbuscular mycorrhizal plants in a semi-natural grassland, 525
SCHEIDEGGER, C. (see BRUNNER, I.), 359
SCOTT, K. J. (see HOLLOWAY, P. J.), 145
SELBY, C., KENNEDY, S. J. & HARVEY, B. M. R., Adventitious root formation in hypocotyl cuttings of *Picea sitchensis* (Bong.) Carr. – the influence of plant growth regulators, 453
SELLDEN, G. (see OJANPERÄ, K.), 39
SONNERFELDT, A.-M. (see FINLAY, R. D.), 105
STODOLA, A. J. W. (see AUGÉ, R. M.), 117
SUTINEN, S. (see OJANPERÄ, K.), 39
TETLOW, I. J. & FARRAR, J. F., Sucrose-metabolizing enzymes from leaves of barley infected with brown rust (*Puccinia hordei* Otth.), 475
THOMSON, C. J., COLMER, T. D., WATKIN, E. L. J. & GREENWAY, H., Tolerance of wheat (*Triticum aestivum* cvs. Gamenya and Kite) and triticale (*Triticosecale* cv. Muir) to waterlogging, 335
TJOELKER, M. G. (see OLEKSYN, J.), 561
TOHME, J. (see KIPE-NOLT, J. A.), 489
VAGNOLI, L., MARGHERI, M. C., ALLOTTA, G. & MATERASSI, R., Morphological and physiological properties of symbiotic cyanobacteria, 243
VAN ASSCHE, J. A. (see COLPAERT, J. V.), 127
VAN BEL, A. (see FARRAR, J.), 191
VAN DER SCHOOT, C. (see FARRAR, J.), 191
VARTANIAN, N. (see HOUSSARD, C.), 551
VAUGHN, K. C., LIGRONE, R., OWEN, H. A., HASEGAWA, J., CAMPBELL, E. O., RENZAGLIA, K. S. & MONGE-NAJERA, J., The anthocerote chloroplast: a review, 169
VÁZQUEZ, M. D., POSCHENRIEDER, CH. & BARCELÓ, J., Ultrastructural effects and localization of low cadmium concentrations in bean roots, 215
WALLENDER, H. & NYLUND, J.-E., Effects of excess nitrogen and phosphorus starvation on the extramatrical mycelium of ectomycorrhizas of *Pinus sylvestris* L., 495
WALTERS, D. R. (see MURRAY, D. C.), 235
WATKIN, E. L. J. (see THOMSON, C. J.), 335
WHATLEY, J. M., Plastid development in distinctively coloured juvenile leaves, 417
WILLIAMS, J. H. & ASHENDEN, T. W., Differences in the spectral characteristics of white clover exposed to gaseous pollutants and acid mist, 69
WILLIAMSON, B., GOODMAN, B. A. & CHUDEK, J. A., Nuclear magnetic resonance (NMR) micro-imaging of ripening red raspberry fruits, 21
WILSON, E. J., Foliar uptake and release of inorganic nitrogen compounds in *Pinus sylvestris* L. and *Picea abies* (L.) Karst., 407
YOUNG, D. R. (see SANDE, E.), 345

Subject Index

Acaulospora laevis, 371, 509
Acid and eutrophic habitats, 289
Acid invertase, 475
Acid mist, 69
Acid rain, 69, 77
Acidic precipitation, 61
Acidification, 99
Actin, 435
Adventitious roots, 453
Aeration, 197
Air pollution, 49, 99
Algicide, 251
Alnus incana, 445
Alternaria spp., 137
Amino acids, 265
Amino-acid metabolism, 259
Ammonia, 265
Andropogon gerardii, 543
Antagonism, 389
Anthocerote, 169
Anthocerotophyta, 169
Antibiotic, 251
Aquatic macrophyte, 289
Architecture, 535
Asparagus officinalis, 463
Aspartate, 259
Autecology, 445
Auxins, 453
Axial conductance, 9
Barley (*Hordeum vulgare*), 145, 475
Biological control, 251
Biomass allocation, 561
Brown rust (*Puccinia hordei*), 475
Bryophyta, 169
Bryophyte, 89
Bundle sheath, 191
Cadmium, 215
Carbon balance, 127
Carbon partitioning, 381
Cell pattern, 209
Ceratozamia, 427
Chloride, 275
Chlorophyll fluorescence, 29
Chloroplast, 169, 427
Chloroplast electron transport, 145
Chloroplast number, 417
Chloroplast size, 417
Chloroplast ultrastructure, 417
Clover, 69
CO_2 exchange, 389
Co-existence, 525
Compatible solutes, 281
Crassulacean acid metabolism, 323
Critical Levels, 29
Cyanobacteria, 243, 251
Cycads, 427
Cytokinins, 453
Cytoskeleton, 435
Dioecy, 551
Drought avoidance, 551
Drought resistance, 551
Drought tolerance, 551
Ectomycorrhiza, 105, 127, 351
Ectomycorrhizal synthesis, 359
Electron microscopy, 169
Embolism, 9
Emiliania, 153
Endophytes, 137
External hyphae, 509
External hyphal spread, 371
Extramatrical mycelium, 127
Fascicle survival, 61
Field studies, 323
Foliar uptake, 407
Forest decline, 49
Founder effect, 489
Fructan, 313
Fructan biosynthesis, 463
Fructan metabolism, 313
Fructosyl transfer, 463
Fruit and seed development, 259
Fusarium spp., 137
Gas exchange, 323
Glands, 1
Glomus intraradices, 117
Glomus mosseae, 117
Glomus sp., 371, 505, 509
Gradient echo, 21
Grassland ecology, 517, 525
Growth, 29
Growth analysis, 159
Growth cessation, 561
Gunnera–Nostoc symbiosis, 481
Hardening, 77
Heat injury, 49
Hebeloma crustuliniforme, 359, 495
Herbicide uptake, 389
Herbicide vapour phytotoxicity, 389
Immunofluorescence, 435
Inducible nitrate reductase activity, 481
Inoculum density, 227
Inorganic carbon utilization, 153
Interspecific variation, 159
Intraspecific variation, 351
Ion exchange, 407
Ion uptake, 281
Iontophoresis, 191
Isozymes, 351
Juvenile leaves, 417
Kalanchoë beharensis, 323
Laccaria bicolor, 495
Leaf area, 61
Lichen, 99
Life-history, 535
Light, 197
Littorella uniflora, 289
Lolium perenne, 275
Low-temperature scanning electron microscopy, 359
Lucifer Yellow, 191
Lupin, 505
Madagascar, 323
Magnetic resonance imaging, 21
Mangrove, 1
Membrane potential, 153
Meristem reorganization, 209
Microfilaments, 435
Microtubules, 435
Morphology, 535
Myrica cerifera, 345
N_2 fixation, 345, 481
Native flora, 29
Needles, 77
Nitrate, 275
Nitrate reductase, 89, 481
Nitrate reduction, 275
Nitrate utilization, 481
Nitric oxide, 89
Nitrogen, 407
Nitrogen dioxide, 69, 89
Nitrogen fixation rate, 99
Nitrogen metabolism, 105
Nitrogen nutrition, 127, 495

Nitrogenase activity, 345
Nodulation restriction, 489
Non-host resistance, 505
Non-invasive histology, 21
Nostoc, 243
Nutrient availability, 227
Nutrient uptake, 543
Oligosaccharide, 463
Ontogenetic drift, 159
Ontogeny, 359
Open-top chambers, 39
Oryza sativa, 137
Osmotic potential, 275
Ozone, 29, 39, 49, 61, 69, 397
P inflow, 525
^{32}P transport, 509
Partially sterilized soil, 227
Pathogens, 137
Peltigera aphthosa, 99
PEP carboxylase, 323
Periderm, 9
Phaseolus vulgaris (bean), 215, 489
Phleum pratense, 381
Phloem loading, 191
Phosphorus inflow, 371
Phosphorus nutrition, 495
Photoheterotrophy, 243
Photoperiod, 561
Photosynthesis, 89, 117, 159, 235, 345, 397, 543
Photosynthetic oxygen evolution, 153
Photosystem II, 251
Phragmites, 197
Phycobiliproteins, 243
Picea abies (Norway spruce), 359, 407
Picea sitchensis, 453
Pinus cembra, 351
Pinus contorta, 105
Pinus sylvestris (Scots pine), 127, 407, 561
Pistia, 209
Pisum sativum (pea), 259, 505
Plant growth, 227, 381
Plastoglobules, 427
Pollen germination *in vitro*, 459
Pollution, 265
Pollution-control, 197
Poplar, 397
Powdery mildew (*Erysiphe graminis*), 145
Premature leaf senescence, 61
Protein, 105
Provenance, 561
Pulsed gradient spin-echo, 21
Pyrenoid, 169
Radish, 397
Raffinose, 459
Raspberry, 21
Regeneration, 445
Relative growth rate, 543
Remote sensing, 69
Resistance, 235
Respiration, 159
Rhizobium leguminosarum bv. phaseoli, 489
Rhizobium tropici, 489
Rhizosphere-oxidation, 197
Rhodophyta, 435
Root epidermis, 209
Root systems, 535
Root ultrastructure, 215
Roots, 117, 197
Rubisco, 397
Rumex acetosella, 551
Rust (*Uromyces viciae-fabae*), 235
Salt, 1
Salt tolerance, 281
Saprobes, 137
Scutellospora calospora, 371, 509
Seasonal growth, 289
Seasonal photosynthesis, 289
Seedlings, 77
Senescence, 39, 145
Sieve tube, 191
Silver sulphide detection, 215
Site characteristics, 445
SO_2 fumigation, 381
Sodium chloride, 345
Soil sheath, 9
Soil temperature, 543
Southern Pennines, 265
Soybean, 505
Sphagnum, 265
Sporobolus virginicus, 281
Stem grafts, 505
Stomatal conductance, 117, 389
Succession, 105, 535, 551
Sucrose, 475
Sucrose phosphate synthase, 475
Suillus, 351
Suillus bovinus, 495
Sulphur dioxide, 69
Sulphur dioxide pollution, 389
Symbiosis, 243
Symplast, 191
Thylakoid, 145
Time course study, 509
Topology, 535
Translocation, 259
Tree-limit, 445
Trifolium subterraneum, 371, 509
Triticosecale, 335
Triticum aestivum (wheat), 39, 313, 335, 459
Tropical plants, 417
Ultrastructure, 39, 77
Uninfected leaves, 235
VA mycorrhizas, 227, 381, 517, 525
VAM morphology, 517
Vegetation history, 445
Vicia faba, 235
Water parenchyma, 1
Water relations, 281, 323
Water stress, 117
Waterlogging tolerance, 335
Wind, 197
Winter hardiness, 49
Winter injury, 49
X-ray microanalysis, 1, 215